

6/9/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4646	((713/202) or (707/10) or (707/9)).CCLS.	USPAT	OR	OFF	2005/06/09 19:46
L2	250	1 and (@pd > "20050118")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 19:46
L3	51	1 and (@pd > "20050118") and ((client user server) adj (identifier name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 19:51
L4	1	("6446069").PN.	USPAT	OR	OFF	2005/06/09 19:51
S1	1	(supporting adj worker adj distributed adj work adj environment).ti.	US-PGPUB; USPAT	OR	OFF	2005/06/09 19:46
S2	2	((("5774551") or ("5881234"))).PN.	USPAT; USOCR	OR	OFF	2004/08/10 12:06
S3	505	(713/202).CCLS.	USPAT; USOCR	OR	OFF	2003/11/07 10:39
S4	148	((713/202).CCLS.) and database and password	USPAT	OR	OFF	2003/11/07 10:39
S5	4	((713/202).CCLS.) and database and password and (authentication adj key)	USPAT	OR	OFF	2003/11/07 10:41
S6	0	unified adj log adj on	USPAT	OR	OFF	2003/11/07 10:41
S7	3	unified adj (logon login)	USPAT	OR	OFF	2003/11/07 10:42
S8	0	707/110.ccls.	USPAT	OR	OFF	2003/11/07 10:42
S9	2605	707/10.ccls.	USPAT	OR	OFF	2003/11/07 10:42
S10	6	707/10.ccls. and (authentication adj key)	USPAT	OR	OFF	2003/11/07 10:45
S11	599	707/9.ccls.	USPAT	OR	OFF	2003/11/07 10:46
S12	2	707/9.ccls. and (authentication adj key)	USPAT	OR	OFF	2003/11/07 10:47

S13	98	((("6049877") or ("6061799") or ("6061799") or ("6094721") or ("6442696") or ("6243816") or ("5719941") or ("5349643") or ("5734718") or ("5636280") or ("6092196") or ("6418298") or ("5771291") or ("5966705") or ("6178511") or ("6253327") or ("6205480") or ("5732219") or ("6189019") or ("5793966") or ("5721780") or ("6169976") or ("5815665") or ("5611048") or ("5694595") or ("6163536") or ("5963915") or ("6185681") or ("6157953") or ("5764890") or ("5818936") or ("5721779") or ("6044154") or ("6240512") or ("6044155") or ("6134597") or ("5241594") or ("5586260") or ("5933829") or ("6115471") or ("5923756") or ("6198824") or ("5884312") or ("5764887") or ("5890171") or ("6578078") or ("5495533") or ("6230269") or ("6405312") or ("6219790") or ("6219790") or ("6092198") or ("6199166") or ("5434918") or ("5689638") or ("6237037") or ("6311275") or ("6643782") or ("5875296") or ("5666415") or ("6347339") or ("6385728") or ("5535276") or ("5737419") or ("6065120") or ("6098056") or ("6233608") or ("6073241") or ("6292790") or ("5935251") or ("6161185") or ("6393569") or ("5491752") or ("5745904") or ("5347580") or ("6000033") or ("6026428") or ("6199164") or ("6434700") or ("5864665") or ("5848412") or ("6539482") or ("5793952") or ("6240450") or ("6064736") or ("5872915") or ("5604490") or ("6272631") or ("6292782") or ("6324648") or ("5590199") or ("6128738") or ("6539479") or ("5978813") or ("5684951") or ("6253193") or ("6363488") or ("6389402") or ("6427140") or ("6141760"))).PN.	USPAT; USOCR	OR	OFF	2003/11/07 10:59
S14	1	(parsing parse separate separating) adj authentication adj (key handle)	USPAT	OR	OFF	2003/11/07 11:00
S15	9	(parse parsed) same ((username (user adj name)) same password)	USPAT	OR	OFF	2003/11/07 11:03

S16	0	(parse parsed) adj (authentication adj key)	USPAT	OR	OFF	2003/11/07 11:04
S17	0	(parse parsing parsed) adj (authentication adj key)	USPAT	OR	OFF	2003/11/07 11:04
S18	0	(authentication adj key) near10 (username (user adj name)) near10 (computer adj (id identification (username (user adj name))))	USPAT	OR	OFF	2003/11/07 14:47
S19	0	((authentication adj key) (user adj handle) credential) near10 (username (user adj name)) near10 (computer adj (id identification (username (user adj name))))	USPAT	OR	OFF	2003/11/07 14:48
S20	12	authentication and (user adj handle)	USPAT	OR	OFF	2003/11/07 14:49
S21	198	authentication and (credential)	USPAT	OR	OFF	2003/11/07 14:50
S22	0	authentication and ((credential) same (computer adj (id identifier)))	USPAT	OR	OFF	2003/11/07 14:51
S23	6	("4851994" "5032979" "5241594" "5263157" "5276444" "5553239").PN.	USPAT	OR	OFF	2003/11/07 14:51
S24	25	("4310720" "4498131" "4498132" "4525780" "4731734" "4742450" "4951249" "5018096" "5060263" "5187790" "5202997" "5235642" "5239583" "5239648" "5241594" "5261102" "5263158" "5276901" "5280581" "5287519" "5305456" "5321841" "5339403" "5359660" "5450593").PN.	USPAT	OR	OFF	2003/11/07 14:52
S25	42	"5604490".URPN.	USPAT	OR	OFF	2003/11/07 14:55
S26	47	"5774551".URPN.	USPAT	OR	OFF	2003/11/07 14:59
S27	6	authentication same (computer adj (id identifier))	USPAT	OR	OFF	2003/11/07 16:47
S28	10	authentication same (node adj (id identifier))	USPAT	OR	OFF	2003/11/07 16:37
S29	1	("5963142").PN.	USPAT; USOCR	OR	OFF	2003/11/07 16:49
S30	477	(computer adj (id identification))	USPAT	OR	OFF	2003/11/07 16:49
S31	2	(computer adj (id identification)) and authentication and username	USPAT	OR	OFF	2003/11/07 17:11

S32	45	(computer adj (id identification)) and authentication	USPAT	OR	OFF	2003/11/07 17:03
S33	5	(computer adj (id identification)) same (username (user adj name))	USPAT	OR	OFF	2003/11/07 17:09
S34	31	authentication and (location same username)	USPAT	OR	OFF	2003/11/07 17:10
S35	79	(MAC (MAC adj address) mac) and authentication and username	USPAT	OR	OFF	2003/11/07 17:11
S36	1	(MAC (MAC adj address) mac) same username same authentication	USPAT	OR	OFF	2003/11/07 17:14
S37	5	((MAC (MAC adj address) mac) same username) and authentication	USPAT	OR	OFF	2003/11/07 17:28
S38	27	((MAC (MAC adj address) mac) same (username (user adj name))) and authentication	USPAT	OR	OFF	2003/11/07 17:38
S39	308	encrypt same database	USPAT	OR	OFF	2003/11/07 17:39
S40	0	(encrypt same database) same username	USPAT	OR	OFF	2003/11/07 17:39
S41	21	(encrypt same database) and username	USPAT	OR	OFF	2003/11/07 17:39
S42	15	login.ti.	USPAT	OR	OFF	2003/11/10 09:24
S43	9	login and pam	USPAT	OR	OFF	2003/11/10 09:56
S44	1	("6233618").PN.	USPAT; USOCR	OR	OFF	2003/11/10 14:39
S45	1	("5774551").PN.	USPAT; USOCR	OR	OFF	2003/11/10 14:43
S46	1	("6615264").PN.	USPAT; USOCR	OR	OFF	2003/11/10 14:51
S47	1	("5815574").PN.	USPAT; USOCR	OR	OFF	2003/11/10 14:51
S48	114	authentication and (server adj (identifier username))	USPAT	OR	OFF	2004/03/22 11:26
S49	0	authentication and (server adj (identifier username)) and (single adj logon)	USPAT	OR	OFF	2004/03/22 11:27
S50	28	authentication and (server adj (identifier username)) and (single adj login)	USPAT	OR	OFF	2004/03/22 11:36
S51	0	ticket same (server adj (id identifier identification username))	USPAT	OR	OFF	2004/03/22 11:36
S52	89	key same (server adj (id identifier identification username))	USPAT	OR	OFF	2004/03/22 11:37

S53	19	key same ((server adj (id identifier identification username)) and password)	USPAT	OR	OFF	2004/03/22 11:40
S54	8	certificate same ((server adj (id identifier identification username)) and password)	USPAT	OR	OFF	2004/03/22 11:42
S55	0	certificate same (server adj (id identifier identification username)) same password	USPAT	OR	OFF	2004/03/22 11:42
S56	5	login same (server adj (id identifier identification username)) same password	USPAT	OR	OFF	2004/03/22 11:44
S57	12	unified adj (login logon)	US-PGPUB; USPAT	OR	OFF	2004/03/22 11:56
S58	0	pam and (pluggable adj authentication adj module) and "sun.asn"	USPAT	OR	OFF	2004/03/22 11:56
S59	1	pam and (pluggable adj authentication adj module) and sun.asn.	USPAT	OR	OFF	2004/03/22 12:18
S60	0	encrypt adj ((username (user adj (id identifier))) and password)	USPAT	OR	OFF	2004/03/22 12:26
S61	4	encrypted adj ((username (user adj (id identifier))) and password)	USPAT	OR	OFF	2004/03/22 12:29
S62	1	("5774551").PN.	USPAT; USOCR	OR	OFF	2004/03/22 12:46
S63	1489	key same (user same identifier)	USPAT	OR	OFF	2004/07/22 15:47
S64	224	key same (user same identifier same server)	USPAT	OR	OFF	2004/07/22 15:47
S65	1	("5774551").PN.	USPAT; USOCR	OR	OFF	2004/07/22 16:32
S66	1871	server same user same identifier	USPAT	OR	OFF	2004/07/22 16:53
S67	490	server near10 (user username) near10 identifier	USPAT	OR	OFF	2004/07/22 16:54
S68	1	server near10 (user username) near10 (computer adj identifier)	USPAT	OR	OFF	2004/07/22 16:54
S69	62	(ticket key) same (server near10 (user username) near10 (identifier))	USPAT	OR	OFF	2004/07/22 16:57
S70	0	unified adj logon	USPAT	OR	OFF	2004/07/22 16:55
S71	0	unified adj logon-enabled	USPAT	OR	OFF	2004/07/22 16:55
S72	76	(ticket key token) same (server near10 (user username) near10 (identifier))	USPAT	OR	OFF	2004/07/22 16:57
S73	78	authentication adj token	USPAT	OR	OFF	2004/07/23 17:17

S74	3	((("6240360") or ("5640452") or ("6668322"))).PN.	USPAT; USOCR	OR	OFF	2004/07/26 09:34
S75	1	("5774551").PN.	USPAT; USOCR	OR	OFF	2004/08/09 17:07
S76	18	proxy adj authentication	USPAT	OR	OFF	2004/08/09 17:12
S77	2	intercept same (proxy adj authentication)	USPAT	OR	OFF	2004/08/09 17:45
S78	0	email adj authentication adj key	USPAT	OR	OFF	2004/08/09 17:45
S79	0	(email same (authentication adj key))	USPAT	OR	OFF	2004/08/09 17:45
S80	0	((email emailed emailing) same (authentication adj key))	USPAT	OR	OFF	2004/08/09 17:45
S81	320	((email emailed emailing) same (key))	USPAT	OR	OFF	2004/08/09 17:46
S82	4	((email emailed emailing) adj (key))	USPAT	OR	OFF	2004/08/09 17:46
S83	207	(713/182).CCLS.	USPAT; USOCR	OR	OFF	2004/08/10 12:06
S84	0	(secret secrets) same (server adj user adj identifier)	USPAT	OR	OFF	2004/08/19 14:19
S85	3	(secret secrets) same (server adj identifier)	USPAT	OR	OFF	2004/08/19 14:23
S86	0	(parse adj key) same ((server adj (id identifier)) and password)	USPAT	OR	OFF	2004/08/19 14:25
S87	1	(parse adj key)	USPAT	OR	OFF	2004/08/19 14:33
S88	27	(server adj user adj (id identifier identification)) same password	USPAT	OR	OFF	2004/08/19 14:37
S89	882	(secret secrets) same password	USPAT	OR	OFF	2004/08/19 14:37
S90	73	(secret secrets) same (user adj (id identifier) same password)	USPAT	OR	OFF	2004/08/19 15:21
S91	23	(secret secrets) same (username same password)	USPAT	OR	OFF	2004/08/19 15:21
S96	38	ticket and (server adj user adj id)	USPAT	OR	OFF	2005/01/18 20:22
S97	4399	((707/10) or (707/9) or (713/202)).CCLS.	USPAT	OR	OFF	2005/01/18 20:22
S98	960	S97 and (@pd > "20031107")	USPAT	OR	OFF	2005/01/18 20:23
S99	11	S97 and (@pd > "20031107") and (user adj identifier) and log	USPAT	OR	OFF	2005/01/18 20:23
S100	60	S97 and (@pd > "20031107") and (user adj name) and log	USPAT	OR	OFF	2005/01/18 20:23
S101	23	S97 and (@pd > "20031107") and (username) and log	USPAT	OR	OFF	2005/01/18 20:24
S102	40	S97 and (@pd > "20031107") and (username) and password	USPAT	OR	OFF	2005/01/18 20:24

S10 3	0	("20030035541").PN.	USPAT	OR	OFF	2005/01/19 11:10
S10 4	1	("20030035541").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/19 11:10
S10 5	701	((713/170) or (713/168)).CCLS.	USPAT	OR	OFF	2005/06/08 15:48
S10 6	47	S105 and (ticket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:49